

Huawei inverter 36kW output voltage



Overview

- 6 strings intelligent monitoring and 80% time save for fault detection
- Real-time operation monitoring
- Adaptive Edge MPPT for fast tracking
- PLC communication optional Smart
- Highest efficiency 98.2%
- Reduce 30% AC cable loss with higher output voltage of 480V.



Article Content

SUN2000-36KTL-M3 Huawei Inverter 36kW THREE-PHASE

The Huawei SUN2000-36KTL-M3 inverter is an innovative Huawei solution for installations with three-phase grid connection without battery, with an output power of 36000W.

SUN2000-36KTL

*1 The maximum input voltage is the upper limit of the DC voltage. Any higher input DC voltage would probably damage inverter. *2 Any DC input voltage beyond the operating voltage range may result in

SUN2000-36KTL datasheet

Smart String Inverter SUN2000-36KTL Smart 8 strings intelligent monitoring and fast trouble-shooting Power Line Communication (PLC) supported

HUAWEI SUN2000-36KTL QUICK MANUAL Pdf

Choose whether to connect the neutral wire to the SUN2000-36KTL based on the application scenario. When the SUN2000-36KTL is used in a low-voltage

HUAWEI SUN2000-36KTL QUICK MANUAL Pdf Download | ManualsLib

Choose whether to connect the neutral wire to the SUN2000-36KTL based on the application scenario. When the SUN2000-36KTL is used in a low-voltage scenario without the neutral wire, set Output

Huawei Solar Inverter Sun2000-36KTL-M3

Huawei Sun2000-36KTL-M3 36kw Three-phase Commercial Grid Solar Inverter Model Number:SUN2000-30/36/40KTL-M3 Input Voltage:1100V Output Voltage:230 Vac / 400 Vac / 480

String Inverter SUN2000 36KTL US

Reduce 30% AC cable loss with higher output voltage of 480V. Saving AC cable investment up to 20% without N-Line. Efficient Safe. Arc fault detection(according to UL 1699B) Integrated DC disconnect,

36kw 3phase Inverter Huawei Sun2000-36ktl Grid Tied Inverter with

Its main products include solar modules, grid connected inverters, energy-saving and power-saving products and so on. It can provide customers with equipment, consultation, design scheme such as

SUN2000-30/36/40KTL-M3

SUN2000-30~40KTL-M3 raises potential between PV- and ground to above zero through integrated PID recovery function to recover module degradation from PID. Supported module types include: P-type

String Inverter (SUN2000-36KTL)

Output Current(@380V/400V/480V) Max. Total Harmonic Distortion. Max. Operating Altitude Without Derating.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.global-padel.co.za>

Email: info@global-padel.co.za

Phone: +27 63 918 4725

Address: 22 Bree Street, Cape Town City Centre, 8001, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

